

Thin  
Client

## D620



TPM



DP

### PROFILE

D620 is a highly efficient and powerful thin client for both local computing and Microsoft, Citrix, VMware virtual desktop environments. It has a zero-client style desktop with COS or a Windows style desktop with WES.

### CERTIFIED BY



## FEATURES

### 01 Real 4K display

DP option could support resolution rate up to 4K.

### 02 Triple display supported

Benefit for task with multi-monitors required.

### 03 Multiple interfaces

4 serial port, 1 parallel port, 2 USB 3.0 port, 4 USB 2.0 port, DVI-I port and DP port.


### 04 Trusted Platform Module

Giving businesses a layer of protection for data from penetration.

### 05 Multiple VDI protocol supported

Widely supports Citrix ICA/HDX, VMware PCoIP and Microsoft RDP.

## CONNECTIVITY



1. Power Button
2. USB 3.0 Port
3. Mic-in
4. Line-out
5. USB 2.0 Port
6. DC 12V Input
7. PS/2 Keyboard

8. PS/2 Mouse
9. Serial Port
10. DVI-I Port
11. Parallel Port
12. RJ-45
13. Kensington Lock Slot
14. DP port

## SPECIFICATION (standard)

Processor	Intel dual core 2.0GHz
Available Operating System	WIN 10 IOT / TOS <sup>1</sup>
VDI/HSD Support	Citrix Receiver / VMware view / Microsoft RDP 8 Compatible
Management	CDMS <sup>2</sup>
RAM (DDR4)	4GB
Storage (SSD)	32GB
Display	1 x DVI-I (DVI-to-VGA adapter included) 1 x DP port
Resolution	DVI-I up to 1920x1200@60Hz DP up to 4096x2160@60Hz
Color Depth	32 bits
Dual Display	Support
Triple Display	Support (extended mode)
LAN	x 1 (10/100/1000 Base-T Fast Ethernet, RJ-45)
USB 2.0	x 4
USB 3.0	x 2
Serial Port	x 1 (extensible to 4 via cable)
Parallel Port	x 1
PS/2 Port	x 2
Audio	Line-out x 1 , Mic-in x 1
Dimension / Packaging	206mm x 48mm x 215mm / 483mm x 115mm x 286mm
Net Weight	1.2 kg
Adapter	Worldwide auto-sensing 100-240V AC, 50/60 Hz, 12V/3A DC
Power Consumption	< 14w
Stand	Vertical feet standard
Security	Standard Kensington anti-theft keyhole
Cooling	Fan-less Convection
Operation Temperature	0°C to 40°C
Relative Humidity	30% to 90% non-condensing

1. TOS: terminal operating system (Linux)
2. CDMS: Centerm desktop management system

Learn more visit [www.centerm.com](http://www.centerm.com)

Follow us   

## SPECIFICATION (optional)

Processor	Intel quad core 1.5GHz
RAM (DDR4)	Available at 16GB
Wi-fi	SDIO WIFI 802.11 b/g/n
Storage	SSD: available at 256GB M.2 storage available at 256GB 1 x internal HDD: available at 1TB Dual storage (HDD+SSD) supported
Network	Additional 1 x (10/100/1000 Base-T Fast Ethernet, RJ-45) 1 x Mini-PCIE wireless module 1 x M.2 wireless module
Serial Port	Extensible to 6
TPM module	Optional
Mounting	VESA mounting kit

Learn more visit [www.centerm.com](http://www.centerm.com)

Follow us   